

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Cancelled)
2. (Currently Amended) A printing and display device as claimed in claim ~~139~~ wherein a viewable size of the printing and display device exceeds 40cm measured along a diagonal of the printing and display device.
3. (Currently Amended) A printing and display device as claimed in claim ~~394~~, wherein the data connection hub operates in accordance with the same general protocol as the data connection.
4. (Currently Amended) A printing and display device as claimed in claim ~~394~~, wherein the data connection hub is configured to receive data from at least some devices connectable thereto.
5. (Previously Presented) A printing and display device as claimed in claim 3, wherein the protocol is a Universal Synchronous Bus protocol.
6. (Original) A printing and display device as claimed in claim 3, wherein the protocol is USB 1.1 or USB 2.0.
7. (Previously Presented) A printing and display device according to any one of claims 1 to 3, wherein the protocol is IEEE1394.
8. (Currently Amended) A printing and display device as claimed in claim ~~394~~, wherein the printer includes at least two the printheads, the printheads being disposed on either side of a path through which print media is fed for printing, thereby enabling substantially simultaneous printing of both sides of the print media.

9. (Currently Amended) A printing and display device as claimed in claim 394, configured to receive print data to be printed, and display data to be displayed, from a computer system.

10. (Original) A printing and display device as claimed in claim 8, wherein the printing and display device includes a connection configured to allow releasable operative connection of the computer system to the printing and display device, for receiving the print data and the display data from the computer system.

11. (Original) A printing a display device as claimed in claim 9, wherein the connection includes at least one socket for accepting at least one corresponding data cable.

12. (Original) A printing and display device as claimed in claim 9, wherein the connection includes a wireless receiver for receiving the print data and/or the display data.

13. (Original) A printing and display device as claimed in claim 9, wherein the connection is a Universal Synchronous Bus (USB) connection.

14. (Currently Amended) A printing and display device as claimed in claim 394, further including a paper feed mechanism for feeding paper to the printhead for printing, the printhead being arranged to print onto the paper.

15. (Currently Amended) A printing and display device as claimed in claim 394, wherein the paper feed mechanism is configured to position the paper substantially parallel in at least one direction with respect to a plane defined by the flat panel display.

16. (Original) A printing and display device as claimed in claim 13 or 14, wherein the paper feed mechanism is configured to accept a single sheet of paper at a time for printing.

17. (Original) A printing and display device as claimed in claim 13 or 14, wherein the paper feed mechanism includes a paper separator for feeding a single sheet of paper to the printhead from a stack of sheets of paper.

18. (Currently Amended) A printing and display device as claimed in claim 394, wherein the printer is a process color printer.

19. (Cancelled)

20. (Previously Presented) A printing and display device as claimed in claim 18, wherein the printer has more than 5,000 nozzles.

21. (Cancelled)

22. (Currently Amended) A printing and display device as claimed in claim 394, wherein the flat panel display measures at least 14 inches on the diagonal.

23. (Currently Amended) A printing and display device as claimed in claim 394, including at least two of the printheads, the printheads being disposed on either side of a path through which the paper is fed for printing, thereby enabling substantially simultaneous printing of both sides of a sheet of paper.

24. (Currently Amended) A printing and display device as claimed in claim 394, configured to enable printing of standard A4 or Letter sized sheets of paper.

25. (Currently Amended) A printing and display device as claimed in claim 394, configured such that paper to be printed is fed manually into a paper path that directs the paper from a region adjacent the upper edge of the flat panel display, past the printhead for printing, then out of the device adjacent a lower edge of the flat panel display.

26. (Currently Amended) A printing and display device as claimed in claim 394, further including a curved paper guide disposed, when the device is in use, beneath the flat panel display, such that the paper that has been printed is urged horizontally as it exits the device.

27. (Currently Amended) A printing and display device as claimed in claim 394, wherein the flat panel display is of one of the following types:

- a. Liquid Crystal Display (LCD);
- b. Organic Light Emitting Diode (OLED)

- c. Field Emission Display (FED)
- d. Plasma Display Panel (PDP)

28. (Currently Amended) A printing and display device as claimed in claim 394, wherein the printhead is configured to receive halftoned print data to be printed onto the print media.

29. (Currently Amended) A printing and display device as claimed in claim 394, further including a halftoning unit for generating halftoned image data and supplying it to the printhead for printing.

30. (Currently Amended) A printing and display device as claimed in claim 394, wherein the printhead is configured to print photographic images.

31. (Currently Amended) A printing and display device as claimed in claim 394, wherein the printhead is configured to print image and text data.

32. (Original) A printing and display device as claimed in claim 8, wherein the computer system is a personal computer.

33. (Cancelled)

34. (Currently Amended) A printing and display device as claimed in claim 394 further comprising: a stand for holding the flat panel display in an operative position wherein the stand includes at least one receptacle configured to accept at least one replaceable ink cartridge for supplying ink to the printer.

35. (Currently Amended) A printing and display device as claimed in claim 394 being configured such that, during printing, the paper being printed passes between the flat panel display and the printhead, or passes behind the flat panel display and the printhead relative to a viewing position of the flat panel display.

36. (Currently Amended) A printing and display device as claimed in claim 394 further comprising:  
a multi-sheet paper holder;

a paper sheet separator configured to separate a single paper sheet from the paper in the paper holder for supply to the printhead.

37. (Currently Amended) A printing and display device as claimed in claim 39 wherein:  
the printer has at least two the printheads, the printheads being disposed on either side of a path through which print media is fed for printing, thereby enabling substantially simultaneous printing of both sides of the print media.

38. (Currently Amended) A printing and display device as claimed in claim 39 being configured to receive documents to be printed from a computer system, the printing and display device including an interface, and being configured to:  
receive, via the interface, input from a user indicative of a print command;  
send, from the printing and display device to the computer system, a print request;  
receive, from the computer system and in response to the print request, a document to be printed; and  
print the document.

39. (New) A printing and display device comprising:  
a flat panel display and a pagewidth inkjet printhead adjacent a media feed path, both the flat panel display and media feed path being generally planar components whereby their height and width far exceed their depth;  
an outer casing housing the flat panel display, the inkjet printhead and the media feed path; and,  
a data connection hub for connection to an external computer and at least one data receiving device such that data from the external computer can be printed, displayed or received by the data receiving device; wherein,  
the outer casing houses the flat panel, the media feed path so that they can both be supported on a flat surface in an upright configuration.